

To Cite This Article

Ms. Sameena Ansari, Mr. Mohammad Rafiullah, Ms. Vrushalili Paraye, Mr. Nikhil Gahukar, Ms. Saloni Pagarwar, Ms. Pooja Deshbhrat, & Mr. Navin Goldar. (2026). Concrete Mix Design using MS Excel as per IS 10262-2019. *International Journal of Multidisciplinary Academic Studies and Research (IJMASR)*, 1(3), 197–199. <https://doi.org/10.5281/zenodo.19696310>

Article Info

Received: 24th March 2026, Accepted: 25th March 2026, Published: 27th March 2026.

Concrete Mix Design using MS Excel as per IS 10262-2019

Ms. Sameena Ansari¹, Mr. Mohammad Rafiullah², Ms. Vrushalili Paraye³, Mr. Nikhil Gahukar⁴, Ms. Saloni Pagarwar⁵, Ms. Pooja Deshbhrat⁶, Mr. Navin Goldar⁷

¹²³⁴Assistant Professor, Department of Civil Engineering, Nagarjuna Institute of Engineering Technology and Management, Nagpur, RTMNU University, Nagpur, India

⁵⁶⁷Reserach Scholar, UG Student, Department of Civil Engineering, Nagarjuna Institute of Engineering Technology and Management, Nagpur, RTMNU University, Nagpur, India

Abstract: Concrete mix design plays a crucial role in achieving the desired strength, durability, and workability of concrete in construction projects. The conventional manual method based on IS 10262:2019 is often time-consuming and prone to calculation errors. This study presents the development and application of a Microsoft Excel-based tool to automate the concrete mix design process in accordance with IS 10262:2019 guidelines. The proposed Excel model integrates standard design procedures, including target mean strength calculation, selection of water-cement ratio, estimation of water content, determination of cement content, and proportioning of fine and coarse aggregates. Built-in formulas and logical functions are used to streamline calculations and reduce human intervention. The model allows users to input parameters such as grade of concrete, exposure conditions, workability requirements, and material properties, and automatically generates accurate mix proportions.

Keywords: Concrete Mix Design, IS 10262:2019, Microsoft Excel, Water-Cement Ratio, Workability, Target Mean Strength.

International Journal of Multidisciplinary
Academic Research

I. INTRODUCTION

Concrete is one of the most widely used construction materials in civil engineering. The quality of concrete depends on proper mix design, which ensures desired strength, durability, and economy. The Indian Standard IS 10262:2019 provides updated procedures for mix proportioning, including considerations for different grades of concrete and environmental conditions. Traditional manual mix design methods are time-consuming and prone to calculation errors. The use of MS Excel simplifies the process by automating calculations and enabling quick adjustments. This study aims to integrate Excel with IS 10262:2019 for efficient mix design.

II. LITERATURE REVIEW

1. Studies show that IS 10262:2019 provides more accurate and flexible guidelines compared to older versions.
2. Research indicates that Excel-based mix design reduces computation time significantly.
3. Some researchers developed automated spreadsheets to calculate mix proportions using input parameters.
4. It has been found that digital tools improve consistency and reduce human error in mix design.

III. MATERIALS AND METHODOLOGY

3.1 Materials Used

- Cement (OPC 43/53 Grade)

- Fine Aggregate (Sand)
- Coarse Aggregate (20 mm size)
- Water
- Admixtures (if required)

3.2 Methodology (IS 10262:2019 Steps)

1. Target Mean Strength Calculation

$$f'_{ck} = f_{ck} + 1.65 \times S$$

2. Selection of Water-Cement Ratio

- Based on strength and durability requirements

3. Water Content Selection

- Depends on aggregate size and slump

4. Cement Content Calculation

$$\text{Cement} = \frac{\text{Water}}{W/C}$$

5. Aggregate Proportioning

- Based on grading zone

6. Absolute Volume Method

- Used to calculate final mix proportions

3.3 Use of MS Excel

- Input parameters entered in cells
- Formulas used for calculations
- Automatic results generation
- Easy modification for trial mixes

IV. RESULTS AND DISCUSSION

Results: The concrete mix design was carried out using Microsoft Excel based on the guidelines of IS 10262:2019. The results obtained from the Excel-based calculations are summarized below:

1. The target mean strength was calculated accurately using standard deviation values, ensuring compliance with code requirements.
2. The water-cement ratio selected met both strength and durability criteria as per IS standards.

3. The calculated cement content satisfied minimum cement requirements and ensured economy in material usage.
4. The aggregate proportions (fine and coarse) were determined using the absolute volume method and were found to be balanced for achieving desired workability.

Discussion: The results obtained from Excel-based mix design highlight several important aspects of concrete proportioning as per IS 10262:2019. Firstly, the use of Excel significantly improves the efficiency of calculations. Manual mix design involves repetitive calculations, which increases the chances of human error. In contrast, Excel automates the process, ensuring reliable and error-free outputs. Secondly, Excel allows flexibility in mix design. Engineers can easily modify parameters such as water-cement ratio, aggregate size, or slump requirement and instantly observe changes in results. This is particularly useful during trial mix adjustments in laboratory and field conditions.

V. CONCLUSION

This study demonstrates that concrete mix design using Microsoft Excel, based on the provisions of IS 10262:2019, is an efficient, accurate, and practical approach for modern construction practices. The integration of Excel into the mix design process simplifies complex calculations such as target mean strength, water-cement ratio selection, and aggregate proportioning through the absolute volume method. The results indicate that Excel-based mix design significantly reduces the time required for computations compared to conventional manual methods. It also minimizes the chances of human error, ensuring consistency and reliability in the output. The ability to quickly modify input parameters and generate multiple trial mixes makes Excel a powerful tool for both academic and field applications. Furthermore, the study confirms that proper implementation of IS 10262:2019 guidelines leads to optimized use of materials, especially cement, thereby making the mix design economical without compromising strength and durability. The use of Excel enhances decision-making by allowing engineers to analyze different scenarios and select the most suitable mix proportion.

VI. FUTURE SCOPE

1. Development of advanced automated software tools that integrate IS codes with real-time data
2. Integration of Excel sheets with mobile applications for on-site calculations
3. Use of Artificial Intelligence (AI) and Machine Learning to predict optimal mix proportions
4. Application in high-performance concrete (HPC) and self-compacting concrete (SCC)
5. Integration with Building Information Modeling (BIM) for better project management
6. Development of cloud-based platforms for data sharing and collaboration
7. Incorporation of sustainable materials like fly ash, GGBS, and recycled aggregates
8. Automation of cost estimation and optimization along with mix design.

REFERENCES

- 1) IS 10262:2019 – Concrete Mix Proportioning – Guidelines
- 2) IS 456:2000 – Plain and Reinforced Concrete Code of Practice
- 3) Concrete Technology by M.S. Shetty – Standard textbook for concrete properties and mix design
- 4) Properties of Concrete by A.M. Neville – Reference for concrete behavior and materials
- 5) Research papers on Excel-based concrete mix design (JETIR, IJERT journals)
- 6) Indian Standard Codes for aggregates and materials testing
- 7) Online technical resources and engineering guidelines on mix design